



## SHELVING STORAGE WIRE & POLYMER

***Healthcare's #1 Source For Complete Storage Solutions!***

SCAN ME TO  
Download Electronic Version ➤



## ABOUT US

We offer you the largest selection of bins, totes, and complete storage solutions in the industry. Our plastic storage products range from small parts and high density storage to extra large stackable containers used to organize and sort your heavy-duty or bulky items.

With over 25 years of experience, Quantum Medical provides a conception to completion concept that includes on-site evaluations, drawings, professional consultations to create your optimal storage solution.

### FRANKLIN OFFICE & SHOWROOM



508 Autumn Springs Court, Suite 1D, Franklin, TN 37067

### MIAMI OFFICE & SHOWROOM



15800 NW 15th Avenue, Miami, FL 33169

### OVER 1.2 MILLION SQUARE FEET OF WAREHOUSE SPACE



#### PROVIDES:


- ▶ Fast Shipment
- ▶ Large Inventory Levels
- ▶ Multiple Shipping Origins

# SHELVING FINISHES AND WARRANTIES


AVAILABLE IN 8 FINISHES AND 3 LIMITED WARRANTIES




► **Chrome** - is a plating process which deposits hard chrome over a copper, nickel surface. This process is very durable and allows product to be used in any application in a dry storage environment. **1 year limited warranty to not rust or corrode when used in dry and non-humid environments.**




► **Proform Green, Gray and Black Epoxy** - are an ideal solution for high humidity, wet, or walk-in-cooler applications. The carbon steel is treated with an iron phosphate and the powder coated epoxy is electrostatically applied, baked and cured to a hard surface. All three colors are antimicrobial. **15 year limited warranty for antimicrobial finish to not rust or corrode.**




► **Stainless Steel** - 304 Stainless with an electro-polish finish represents the highest industry standard in the prevention of corrosion. This finish is highly effective for corrosive, high humidity or clean room environments. **Lifetime limited warranty for 304 stainless steel electro-polish finish to not rust or corrode.**




► **Galvanized Steel** - is a manufacturing process where a coating of zinc is applied to steel to offer protection and prevent rusting. The zinc protects the base metal by acting as a barrier to corrosive elements. **1 year limited warranty to not rust or corrode when used in dry and non-humid environments.**



► **Proform Green Polymer** - is an ideal solution for high humidity, wet, or walk-in-cooler applications. The carbon steel is treated with an iron phosphate and the powder coated epoxy is electrostatically applied, baked and cured to a hard surface. All three colors are antimicrobial. Plastic mats are virgin grade Polypropylene. **15 year limited warranty for antimicrobial finish to not rust or corrode. Limited lifetime on polymer shelf mats.**



► **Millenia Polymer** - all polymer, the best industry standard in the prevention of corrosion. This finish is highly effective for corrosive, high humidity or clean room environments. **Lifetime limited warranty to not rust or corrode.**



APPLICATION	CHROME & GALVANIZED FINISH	PROFORM GREEN, GRAY & BLACK EPOXY FINISH	PROFORM GREEN POLYMER FINISH	STAINLESS STEEL FINISH	ALL POLYMER FINISH
DRY STORAGE	YES	YES	YES	YES	YES
WET STORAGE	NO	YES	YES	YES	YES
COOLER STORAGE	NO	YES	YES	YES	YES
FREEZER STORAGE	NO	YES	YES	YES	YES
WARRANTY*	1 YEAR DRY	15 YEAR	15 YEAR WIRE/LIFETIME MATS	LIFETIME	LIFETIME

\*Limited against rust and corrosion

# SHELVING SYSTEMS

## MILLENNIA NSF

Most innovative, all polymer shelving

- Lifetime limited warranty
- Up to 1000 lb. load capacity per shelf
- Smooth, vented, open grid surface allows for air circulation and minimal dust buildup
- Easily removable and dishwasher safe shelf plates
- All Polymer 100% rust proof

► Vented Shelf



► Solid Shelf



## PREMIUM NSF

Exceptional hybrid shelving

- 15 year limited warranty on Epoxy, Lifetime limited warranty on Polymer
- Up to 800 lb. load capacity per shelf
- Smooth, vented, open grid surface allows for air circulation and minimal dust buildup
- Easily removable and dishwasher safe shelf plates
- Antimicrobial and resistant against corrosion

► Vented Polymer



► Solid Polymer



## CLASSICS PLUS NSF

Most economical, corrosion resistant shelving

- 15 year limited warranty
- Up to 800 lb. load capacity per shelf
- Wire allows air to circulate and light to penetrate for increased product visibility and minimal dust buildup
- Antimicrobial and resistant against corrosion

► Green Epoxy



► Gray Epoxy



► Black Epoxy



## CLASSICS NSF

Original wire and solid storage shelving

- 1 year limited warranty
- Up to 800 lb. load capacity per shelf
- Wire allows air to circulate and light to penetrate for increased product visibility and minimal dust buildup
- Chrome finish

► Chrome



► Stainless



► Solid Stainless



► Solid Galvanized



# SHELVING SYSTEMS



## QUANTUM CLASSICS

### Chrome Wire Shelving

- Boxes / Cartons
- Materials Management
- Receiving
- Equipment Rooms
- SPD
- EVS

WIDTHS (W): 12", 14", 18", 21", 24", 30", 36"  
LENGTHS (L): 24", 30", 36", 42", 48", 54", 60", 66", 72"  
HEIGHTS (H): 6", 14", 34", 36", 39", 54", 63", 74", 86", 96"



## QUANTUM CLASSICS PLUS

### Epoxy Coated Wire Shelving

- Boxes / Cartons
- Materials Management
- Receiving
- Equipment Rooms
- OR Cores
- SPD
- Pharmacy
- EVS

WIDTHS (W): 12", 14", 18", 21", 24", 30", 36"  
LENGTHS (L): 24", 30", 36", 42", 48", 54", 60", 66", 72"  
HEIGHTS (H): 6", 14", 34", 39" (Only Black), 54", 63", 74", 86", 96"



## QUANTUM CLASSICS

### Stainless Wire Shelving

- Boxes / Cartons
- Materials Management
- Receiving
- Equipment Rooms
- OR Cores
- SPD
- Pharmacy
- EVS

WIDTHS (W): 12", 14", 18", 21", 24", 30", 36"  
LENGTHS (L): 24", 30", 36", 42", 48", 54", 60", 72"  
HEIGHTS (H): 6", 14", 34", 42", 54", 63", 74", 86", 96"



## QUANTUM PREMIUM

### Hybrid Polymer Wire Shelving

- Boxes / Cartons
- Materials Management
- Receiving
- Equipment Rooms
- OR Cores
- SPD
- Pharmacy
- EVS

WIDTHS (W): 14", 18", 21", 24"  
LENGTHS (L): 24", 30", 36", 42", 48", 54", 60", 72"  
HEIGHTS (H): 6", 14", 34", 54", 63", 74", 86", 96"



## QUANTUM CLASSICS

### Solid Shelving

- Boxes / Cartons
- Materials Management
- Receiving
- OR Cores
- SPD
- Clean Supply
- Labs

WIDTHS (W): 14", 18", 21", 24"  
LENGTHS (L): 24", 30", 36", 42", 48", 54", 60", 72"  
HEIGHTS (H): 6", 14", 34", 38", 39", 42", 54", 63", 74", 86", 96"



## MILLENNIA

### All Polymer Shelving

- Boxes / Cartons
- Materials Management
- Receiving
- OR Cores
- SPD
- Clean Supply
- Labs, Pharmacy and Cold Storage
- Food Prep Areas

WIDTHS (W): 18", 21", 24"  
LENGTHS (L): 24", 30", 36", 42", 48", 54", 60", 72"  
HEIGHTS (H): 14", 26", 38", 50", 62", 74", 86", 98"

# WIRE SHELVING

Wire Shelves

NSF

Genuine Quantum modular wire systems offer a unique combination of shelf and post sizes in a variety of finishes to work in any application. The all welded shelf construction is supported with architectural wire trusses to provide between up to 600 lb. and 1,000 lb. capacity per shelf.



Posts

NSF

All posts are fabricated from 16 gauge carbon steel with location grooves on one inch increments and ease for shelf installation. Numbers are printed between grooves for quick assembly. Posts are double grooved in consistent intervals for quick identification. Leveling legs are enclosed with all posts. Leveling legs cannot be used in conjunction with stem casters. Custom post heights are available, call for additional information.



#### W-PC

Replacement Post Cap  
Additional pieces available  
(Sold as 4-pack)

#### W-PC-STUD

Threaded Stud Connector can be utilized to connect two posts enabling any post height to be achieved. Must be used with WR-WMB to secure to wall

#### LASER PRINTED NUMBERS

For quick shelf positioning

#### W-PLI

Post Insert  
Additional pieces available  
(Sold as 4-pack)

#### W-PLB / W-PLBS

Post Leveler adjusts up or down  
allowing height flexibility.  
Additional pieces available  
(Sold as 4-pack)

DESCRIPTION	SHIP WGT	MODEL NO.	CHROME	STAINLESS STEEL	EPOXY		
					PROFORM GREEN	GRAY	BLACK
6"H Post	1 lb	P6C	P6S	P6P	P6GY	P6BK	
14"H Post	2 lbs	P14C	P14S	P14P	P14GY	P14BK	
34"H Post	2 lbs	P34C	P34S	P34P	P34GY	P34BK	
36"H Post	2 lbs	P36C		-	-	-	
39"H Post	2 lbs	P39C		-	-	P39BK	
42"H Post	2 lbs		P42S		-	-	
54"H Post	3 lbs	P54C	P54S	P54P	P54GY	P54BK	
63"H Post	4 lbs	P63C*	P63S	P63P*	P63GY*	P63BK*	
74"H Post	4 lbs	P74C*	P74S	P74P*	P74GY*	P74BK*	
86"H Post	5 lbs	P86C*	P86S	P86P*	P86GY*	P86BK*	
96"H Post	6 lbs	P96C	P96S	P96P	P96GY	P96BK	

\*PRE-INSERTED LEVELERS For easy installation, 63", 74" and 86" posts are available with pre-inserted leveler and bolt by adding an X to the Model No. P74CX

Up to **600-800 lb.**  
LOAD CAPACITY  
PER SHELF

Up to **1,000 lb.**  
LOAD CAPACITY PER  
HEAVY-DUTY SHELF (HD Models)

SHELF W" x L"	SHIP WGT	MODEL NO.	CHROME	STAINLESS STEEL	EPOXY		
			MODEL NO.	MODEL NO.	PROFORM GREEN	GRAY	BLACK
<b>12" Deep - Wire Shelves</b>							
12" x 24"	6 lbs	1224C	-	-	1224P	1224GY	1224BK
12" x 30"	6 lbs	1230C	-	-	1230P	1230GY	1230BK
12" x 36"	7 lbs	1236C	1236S	1236P	1236GY	1236BK	
12" x 42"	8 lbs	1242C	-	-	1242P	1242GY	1242BK
12" x 48"	9 lbs	1248C	1248S	1248P	1248GY	1248BK	
12" x 60"	14 lbs	1260C	1260S	1260P	1260GY	1260BK	
12" x 72"	17 lbs	1272C	1272S	1272P	1272GY	1272BK	

14" x 24"	6 lbs	1424C	-	1424P	1424GY	1424BK
14" x 30"	7 lbs	1430C	1430S	1430P	1430GY	1430BK
14" x 36"	8 lbs	1436C	1436S	1436P	1436GY	1436BK
14" x 42"	10 lbs	1442C	1442S	1442P	1442GY	1442BK
14" x 48"	11 lbs	1448C	1448S	1448P	1448GY	1448BK
14" x 54"	12 lbs	1454C	1454S	1454P	1454GY	1454BK
14" x 60"	14 lbs	1460C	1460S	1460P	1460GY	1460BK
14" x 72"	17 lbs	1472C	1472S	1472P	1472GY	1472BK

14" x 24"	7 lbs	1824C	1824S	1824P	1824GY	1824BK
14" x 30"	8 lbs	1830C	1830S	1830P	1830GY	1830BK
14" x 36"	10 lbs	1836C	1836S	1836P	1836GY	1836BK
14" x 42"	11 lbs	1842C	1842S	1842P	1842GY	1842BK
14" x 48"	14 lbs	1848C	1848S	1848P	1848GY	1848BK
14" x 54"	15 lbs	1854C	1854S	1854P	1854GY	1854BK
14" x 60"	17 lbs	1860C	1860S	1860P	1860GY	1860BK
14" x 72"	20 lbs	1872C	1872S	1872P	1872GY	1872BK

14" x 24"	8 lbs	2124C	2124S	2124P	2124GY	2124BK
14" x 30"	9 lbs	2130C	2130S	2130P	2130GY	2130BK
14" x 36"	11 lbs	2136C	2136S	2136P	2136GY	2136BK
14" x 42"	12 lbs	2142C	2142S	2142P	2142GY	2142BK
14" x 48"	14 lbs	2148C	2148S	2148P	2148GY	2148BK
14" x 54"	16 lbs	2154C	2154S	2154P	2154GY	2154BK
14" x 60"	18 lbs	2160C	2160S	2160P	2160GY	2160BK
14" x 72"	24 lbs	2172C	2172S	2172P	2172GY	2172BK

14" x 24"	9 lbs	2424C	2424S	2424P	2424GY	2424BK
14" x 30"	11 lbs	2430C	2430S	2430P	2430GY	2430BK
14" x 36"	13 lbs	2436C	2436S	2436P	2436GY	2436BK
14" x 42"	15 lbs	2442C	2442S	2442P	2442GY	2442BK
14" x 48"	16 lbs	2448C	2448S	2448P	2448GY	2448BK
14" x 54"	18 lbs	2454C	2454S	2454P	2454GY	2454BK
14" x 60"	20 lbs	2460C	2460S	2460P	2460GY	2460BK
14" x 66"	23 lbs	2466C	-	2466P	2466GY	-
14" x 72"	25 lbs	2472C	2472S	2472P	2472GY	2472BK

#### 24" Deep - Wire Shelves (Up To 1,000 lb. Capacity)

24" x 24"	9 lbs	2460CHD	-	-	-	-
<b>30" Deep - Wire Shelves</b>						
30" x 30"	12 lbs	-	-	-	3030GY	-
30" x 36"	15 lbs	3036C	3036S	3036P	3036GY	3036BK
30" x 42"	18 lbs	3042C	3042S	3042P	3042GY	3042BK
30" x 48"	21 lbs	3048C	3048S	3048P	3048GY	3048BK
30" x 60"	27 lbs	3060C	3060S	3060P	3060GY	3060BK
30" x 72"	31 lbs	3072C	3072S	3072P	3072GY	3072BK

30" x 30"	18 lbs	3636C	3636S	3636P	3636GY	3636BK
30" x 36"	23 lbs	3648C	3648S	3648P	3648GY	3648BK
30" x 42"	29 lbs	3660C	3660S	3660P	3660GY	3660BK
30" x 48"	35 lbs	3672C	3672S	3672P	3672GY	3672BK

# WIRE SHELVING

## Starter Kits

NSF


Heavy-duty shelving units allow up to 800 lb. shelf capacity. Starter kits come complete with 4 posts and 4 or 5 shelves. Additional shelves may be purchased separately. Mobilize starter kit shelving unit using optional mobile kit, **WR-OOH**.

## Add-On Kits

NSF

Additional Add-On kits allow you to expand your Starter kit by sharing a middle set of posts. Configuration options include side to side, back to back and right angles (*L-Shape*). Add-On kits come complete with 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks. Additional shelves and posts may be purchased separately. Units with Add-On kits cannot be made mobile.

**Finishes:** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy



### TO CHOOSE FINISH ADD FINISH SUFFIX TO MODEL NO.

Ex: **Chrome** WR74-1236C  
**Stainless** WR74-1236S  
**Proform Green** WR74-1236P  
**Gray** WR74-1236GY  
**Black** WR74-1236BK


Ex: **Chrome** WR74-1236C-5  
**Stainless** WR74-1236S-5  
**Proform Green** WR74-1236P-5  
**Gray** WR74-1236GY-5  
**Black** WR74-1236BK-5

**Chrome**  
**Stainless**  
**Proform Green**  
**GY Gray**  
**BK Black**

74"H - WIRE SHELVING 4 SHELVES				74"H - WIRE SHELVING 5 SHELVES				AVAILABLE FINISHES									
STARTER KIT		ADD-ON KIT		STARTER KIT		ADD-ON KIT		MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	C	S	P	GY	BK	
SHLF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	AD74-1236	44 lbs	AD74-1236	38 lbs	AD74-1236-5	51 lbs	AD74-1236-5	47 lbs	Y Y Y Y Y
12" x 36"	WR74-1236	44 lbs	AD74-1236	38 lbs	WR74-1236-5	51 lbs	AD74-1236-5	47 lbs	Y Y Y Y Y								
12" x 42"	WR74-1242	48 lbs	AD74-1242	42 lbs	WR74-1242-5	56 lbs	AD74-1242-5	52 lbs	Y N Y Y Y								
12" x 48"	WR74-1248	52 lbs	AD74-1248	46 lbs	WR74-1248-5	61 lbs	AD74-1248-5	57 lbs	Y Y Y Y Y								
12" x 60"	WR74-1260	60 lbs	AD74-1260	54 lbs	WR74-1260-5	74 lbs	AD74-1260-5	70 lbs	Y Y Y Y Y								
12" x 72"	WR74-1272	68 lbs	AD74-1272	62 lbs	WR74-1272-5	85 lbs	AD74-1272-5	81 lbs	Y Y Y Y Y								
14" x 24"	WR74-1424	40 lbs	AD74-1424	34 lbs	WR74-1424-5	46 lbs	AD74-1424-5	42 lbs	Y N Y Y Y								
14" x 30"	WR74-1430	44 lbs	AD74-1430	38 lbs	WR74-1430-5	51 lbs	AD74-1430-5	47 lbs	Y Y Y Y Y								
14" x 36"	WR74-1436	48 lbs	AD74-1436	42 lbs	WR74-1436-5	56 lbs	AD74-1436-5	52 lbs	Y Y Y Y Y								
14" x 42"	WR74-1442	56 lbs	AD74-1442	50 lbs	WR74-1442-5	66 lbs	AD74-1442-5	62 lbs	Y Y Y Y Y								
14" x 48"	WR74-1448	60 lbs	AD74-1448	54 lbs	WR74-1448-5	71 lbs	AD74-1448-5	67 lbs	Y Y Y Y Y								
14" x 54"	WR74-1454	64 lbs	AD74-1454	58 lbs	WR74-1454-5	76 lbs	AD74-1454-5	72 lbs	Y Y Y Y Y								
14" x 60"	WR74-1460	72 lbs	AD74-1460	66 lbs	WR74-1460-5	86 lbs	AD74-1460-5	82 lbs	Y Y Y Y Y								
14" x 72"	WR74-1472	84 lbs	AD74-1472	78 lbs	WR74-1472-5	101 lbs	AD74-1472-5	97 lbs	Y Y Y Y Y								
18" x 24"	WR74-1824	44 lbs	AD74-1824	38 lbs	WR74-1824-5	51 lbs	AD74-1824-5	47 lbs	Y Y Y Y Y								
18" x 30"	WR74-1830	48 lbs	AD74-1830	42 lbs	WR74-1830-5	56 lbs	AD74-1830-5	52 lbs	Y Y Y Y Y								
18" x 36"	WR74-1836	56 lbs	AD74-1836	50 lbs	WR74-1836-5	66 lbs	AD74-1836-5	62 lbs	Y Y Y Y Y								
18" x 42"	WR74-1842	60 lbs	AD74-1842	54 lbs	WR74-1842-5	71 lbs	AD74-1842-5	67 lbs	Y Y Y Y Y								
18" x 48"	WR74-1848	64 lbs	AD74-1848	58 lbs	WR74-1848-5	78 lbs	AD74-1848-5	74 lbs	Y Y Y Y Y								
18" x 54"	WR74-1854	76 lbs	AD74-1854	70 lbs	WR74-1854-5	91 lbs	AD74-1854-5	87 lbs	Y Y Y Y Y								
18" x 60"	WR74-1860	84 lbs	AD74-1860	78 lbs	WR74-1860-5	101 lbs	AD74-1860-5	97 lbs	Y Y Y Y Y								
18" x 72"	WR74-1872	96 lbs	AD74-1872	90 lbs	WR74-1872-5	116 lbs	AD74-1872-5	112 lbs	Y Y Y Y Y								
24" x 24"	WR74-2424	52 lbs	AD74-2424	46 lbs	WR74-2424-5	61 lbs	AD74-2424-5	57 lbs	Y Y Y Y Y								
24" x 30"	WR74-2430	60 lbs	AD74-2430	54 lbs	WR74-2430-5	71 lbs	AD74-2430-5	67 lbs	Y Y Y Y Y								
24" x 36"	WR74-2436	68 lbs	AD74-2436	62 lbs	WR74-2436-5	81 lbs	AD74-2436-5	77 lbs	Y Y Y Y Y								
24" x 42"	WR74-2442	76 lbs	AD74-2442	70 lbs	WR74-2442-5	91 lbs	AD74-2442-5	87 lbs	Y Y Y Y Y								
24" x 48"	WR74-2448	80 lbs	AD74-2448	74 lbs	WR74-2448-5	96 lbs	AD74-2448-5	92 lbs	Y Y Y Y Y								
24" x 54"	WR74-2454	88 lbs	AD74-2454	82 lbs	WR74-2454-5	106 lbs	AD74-2454-5	102 lbs	Y Y Y Y Y								
24" x 60"	WR74-2460	100 lbs	AD74-2460	94 lbs	WR74-2460-5	121 lbs	AD74-2460-5	117 lbs	Y Y Y Y Y								
24" x 72"	WR74-2472	120 lbs	AD74-2472	114 lbs	WR74-2472-5	146 lbs	AD74-2472-5	142 lbs	Y Y Y Y Y								
30" x 36"	WR74-3036	76 lbs	AD74-3036	70 lbs	WR74-3036-5	91 lbs	AD74-3036-5	87 lbs	Y Y Y Y Y								
30" x 42"	WR74-3042	88 lbs	AD74-3042	82 lbs	WR74-3042-5	106 lbs	AD74-3042-5	102 lbs	Y Y Y Y Y								
30" x 48"	WR74-3048	100 lbs	AD74-3048	94 lbs	WR74-3048-5	121 lbs	AD74-3048-5	117 lbs	Y Y Y Y Y								
30" x 60"	WR74-3060	124 lbs	AD74-3060	118 lbs	WR74-3060-5	151 lbs	AD74-3060-5	147 lbs	Y Y Y Y Y								
30" x 72"	WR74-3072	140 lbs	AD74-3072	134 lbs	WR74-3072-5	171 lbs	AD74-3072-5	167 lbs	Y Y Y Y Y								
36" x 36"	WR74-3636	88 lbs	AD74-3636	82 lbs	WR74-3636-5	106 lbs	AD74-3636-5	102 lbs	Y Y Y Y Y								
36" x 48"	WR74-3648	108 lbs	AD74-3648	102 lbs	WR74-3648-5	131 lbs	AD74-3648-5	127 lbs	Y Y Y Y Y								
36" x 60"	WR74-3660	132 lbs	AD74-3660	126 lbs	WR74-3660-5	161 lbs	AD74-3660-5	157 lbs	Y Y Y Y Y								
36" x 72"	WR74-3672	140 lbs	AD74-3672	134 lbs	WR74-3672-5	175 lbs	AD74-3672-5	171 lbs	Y Y Y Y Y								

Shelving units include 4 posts and 4 or 5 shelves. Add-On units include 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks.

Y (Yes) N (No)



# WIRE SHELF MOBILE CARTS



## Chrome 5 Wire Shelf Mobile Carts

Mobile wire stem caster carts add versatility & flexibility to any operation, creating a transport system.

Each unit consists of:

- 4 - posts
- 5 - wire shelves
- 4 - donut bumpers
- 4 - 5" poly stem casters, 2 with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
<b>M1836C47-5</b>	18" x 36" x 80"	74 lbs
<b>M1848C47-5</b>	18" x 48" x 80"	86 lbs
<b>M1860C47-5</b>	18" x 60" x 80"	109 lbs
<b>M2436C47-5</b>	24" x 36" x 80"	89 lbs
<b>M2448C47-5</b>	24" x 48" x 80"	104 lbs
<b>M2460C47-5</b>	24" x 60" x 80"	129 lbs

\*Available in Grey, Green and Black Epoxy Finish.

REPLACE "C" in Model No. Ex. **M1836P47-5**  
to order Epoxy Finish **M1836GY47-5**  
**M1836BK47-5**



## Chrome 6 Wire Shelf Mobile Carts

Mobile wire stem caster carts add versatility & flexibility to any operation, creating a transport system.

Each unit consists of:

- 4 - posts
- 6 - wire shelves
- 1 - shelf inlay mat
- 5 - full with label holder
- 4 - donut bumpers
- 4 - 5" poly stem casters, 2 with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
<b>M1836C47-6LH33C</b>	18" x 36" x 80"	89 lbs
<b>M1848C47-6LH45C</b>	18" x 48" x 80"	105 lbs
<b>M1860C47-6LH57C</b>	18" x 60" x 80"	131 lbs
<b>M2436C47-6LH33C</b>	24" x 36" x 80"	107 lbs
<b>M2448C47-6LH45C</b>	24" x 48" x 80"	125 lbs
<b>M2460C47-6LH57C</b>	24" x 60" x 80"	145 lbs



## Stainless 5 Wire Shelf Mobile Carts

Mobile wire stem caster carts add versatility & flexibility to any operation, creating a transport system.

Each unit consists of:

- 4 - posts
- 5 - wire shelves
- 4 - donut bumpers
- 4 - 5" poly stem casters, 2 with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
<b>M1836SS47-5</b>	18" x 36" x 80"	74 lbs
<b>M1848SS47-5</b>	18" x 48" x 80"	86 lbs
<b>M1860SS47-5</b>	18" x 60" x 80"	109 lbs
<b>M2436SS47-5</b>	24" x 36" x 80"	89 lbs
<b>M2448SS47-5</b>	24" x 48" x 80"	104 lbs
<b>M2460SS47-5</b>	24" x 60" x 80"	129 lbs



## Epoxy 5 Wire Shelf Mobile Carts

Mobile wire stem caster carts add versatility & flexibility to any operation, creating a transport system.

Each unit consists of:

- 4 - posts
- 5 - wire shelves
- 4 - donut bumpers
- 4 - 5" poly stem casters, 2 with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
<b>M1836P47-5</b>	18" x 36" x 80"	74 lbs
<b>M1848P47-5</b>	18" x 48" x 80"	86 lbs
<b>M1860P47-5</b>	18" x 60" x 80"	109 lbs
<b>M2436P47-5</b>	24" x 36" x 80"	89 lbs
<b>M2448P47-5</b>	24" x 48" x 80"	104 lbs
<b>M2460P47-5</b>	24" x 60" x 80"	129 lbs

UNITS AVAILABLE IN A WIDE VARIETY OF CONFIGURATIONS AND SIZES



# POST BASKET MOBILE CARTS




## Mobile 5 Post Basket Units

Each mobile unit consists of:

- 4 - 74"H posts
- 5 - post basket
- 1 - wire shelf
- Finish:** Chrome
- 1 - solid shelf
- Finish:** Galvanized Steel
- 4 - donut bumpers
- 4 - 5" x 1-1/4" swivel polyurethane casters, 2 with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
WRC74-1824CSG-5BSK	18" x 24" x 80"	94 lbs
WRC74-1836CSG-5BSK	18" x 36" x 80"	127 lbs
WRC74-1848CSG-5BSK	18" x 48" x 80"	160 lbs
WRC74-1860CSG-5BSK	18" x 60" x 80"	197 lbs
WRC74-2424CSG-5BSK	24" x 24" x 80"	125 lbs
WRC74-2436CSG-5BSK	24" x 36" x 80"	158 lbs
WRC74-2448CSG-5BSK	24" x 48" x 80"	191 lbs
WRC74-2460CSG-5BSK	24" x 60" x 80"	228 lbs



## Mobile 4 Post Basket Units

Each mobile unit consists of:

- 4 - 74"H posts
- 4 - post basket
- 3 - wire shelf
- Finish:** Chrome
- 1 - shelf inlay mat
- 4 - donut bumpers
- 4 - 5" x 1-1/4" swivel polyurethane casters, 2 with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
WRC74-1824C-4BSK	18" x 24" x 80"	94 lbs
WRC74-1836C-4BSK	18" x 36" x 80"	127 lbs
WRC74-1848C-4BSK	18" x 48" x 80"	160 lbs
WRC74-1860C-4BSK	18" x 60" x 80"	197 lbs
WRC74-2424C-4BSK	24" x 24" x 80"	125 lbs
WRC74-2436C-4BSK	24" x 36" x 80"	158 lbs
WRC74-2448C-4BSK	24" x 48" x 80"	191 lbs
WRC74-2460C-4BSK	24" x 60" x 80"	228 lbs



UNITS AVAILABLE IN A WIDE VARIETY OF CONFIGURATIONS AND SIZES



## POST BASKET CARTS

Ideal for Bulk Items

- Materials Management
- Receiving
- IV / Clean Rooms
- OR Cores
- SPD
- Pharmacy
- Labs

# MOBILE CARTS



## Linen Carts

All units consist of:

- 4 - posts
- 3 - wire shelves
- 1 - solid shelf
- 4 or 5 - enclosure panels

Mobile unit also includes:

- 4 - 5" swivel poly stem casters,
- 2 with brake
- 4 - donut bumpers

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
WRCS4-63-2436EP	24" x 36" x 69"	113 lbs
WRCS4-63-2448EP	24" x 48" x 69"	131 lbs
WRCS4-63-2460EP	24" x 60" x 69"	158 lbs



## Linen Carts with Dolly Base

All units consist of:

- 4 - posts
- 3 - wire shelves
- 1 - solid shelf
- 4 or 5 - enclosure panels

Dolly Base unit also includes:

- 1 - dolly base
- 4 - plate casters, 2 rigid and 2 swivel with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
WRDBSA-63-2436EP	24" x 36" x 69"	113 lbs
WRDBSA-63-2448EP	24" x 48" x 69"	131 lbs
WRDBSA-63-2460EP	24" x 60" x 69"	158 lbs

## NYLON FABRIC OR CLEAR VINYL COVERS AVAILABLE!



## Slanted Shelf Suture Carts - Open or Enclosed

Units are designed for quick and easy accessibility for pre-packed items such as sutures. The wire end panel maintains product while the slanted shelf allows for gravity feed. Available with or without side enclosures.

**Finish:** Chrome

All units consist of:

- 4 - posts
- 2 - wire shelves
- 3 - slanted shelves

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
WRCSL5-63-1836	18" x 36" x 80"	77 lbs
WRCSL5-63-1848	18" x 48" x 80"	91 lbs
WRCSL5-63-2436	18" x 60" x 80"	92 lbs
WRCSL5-63-2448	24" x 36" x 80"	104 lbs

Add EP to Model No. to order ENCLOSURE PANEL



## Catheter Hold and Store Cart

The catheter hold and store cart allows separation and easy accessibility to pre-packed catheters. Ideal for central or OR supply centers, this style cart is modular in design. Includes 36 or 42 catheter hooks. **Finish:** Chrome

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
WRC-BC2448	24" x 48" x 69"	105 lbs
WRC-BC2460	24" x 60" x 69"	125 lbs



## Sterile Wrap Carts

Hang bars keep sterile wraps separated and accessible for special preps. Bars are easy to adjust. Neoprene gaskets hold wraps in position. Two designs to choose from (cascading or flat surface). **Finish:** Chrome

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
<b>Cascading, Sterile Wrap Cart</b>		
WRC-SW2448	24" x 48" x 69"	103 lbs
WRC-SW2460	24" x 60" x 69"	110 lbs
<b>Low Profile, Sterile Wrap Cart</b>		
WRC-LPSW1863	18" x 63" x 39-1/2"	46 lbs

UNITS AVAILABLE IN A WIDE VARIETY OF CONFIGURATIONS AND SIZES

# RACKS AND MOBILE CARTS



**Up to 1,200 lb.  
MOBILE LOAD CAPACITY**

## Stationary and Mobile Wire Garment Racks

Ideal storage rack for hanging any type of coat or garment. Includes handy bottom shelf for additional storage. **Finish:** Chrome

*Each unit consists of:*

- 4 - 63" posts
- 2 - wire shelves
- 1 - hang bar (up to 75 lb. hang capacity evenly distributed)

*Mobile unit also includes:*

- 4 - 5" swivel thermoplastic resin casters, 2 with brakes
- 4 - donut bumpers

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
<b>Stationary Wire Garment Racks</b>		
MRGR-63-2436	24" x 36" x 63"	45 lbs
MRGR-63-2448	24" x 48" x 63"	52 lbs
MRGR-63-2460	24" x 60" x 63"	63 lbs
<b>Mobile Wire Garment Racks</b>		
MRCGR-63-2436	24" x 36" x 69"	59 lbs
MRCGR-63-2448	24" x 48" x 69"	66 lbs
MRCGR-63-2460	24" x 60" x 69"	77 lbs



## Stationary and Mobile Wire Garment Racks

Modular in design, the Bin Transport Cart provides an integrated system to transfer items. Carts enable you to color code, hold, or transport inventories and supplies. Ideal for use in central supply and laundry. Bins are autoclavable up to 250°F. **Cart Finish:** Chrome

**Bins available in:** ● Blue ● Red ● Yellow

MODEL NO.	NO. OF BINS	SHIP WGT
<b>30" W x 36" L x 69" H - Wire Shelving Unit with HULK Containers</b>		
WRC2-63-3036-974976	2	150 lbs
<b>30" W x 36" L x 42" H - Wire Shelving Unit with HULK Containers</b>		
WRC2-36-3036-976	6	88 lbs

*(One color per unit)*

## CARTS INCLUDE CASTER KIT FOR MOBILITY



## Patient Apparel Cart

Ideal for patient care situations where the distribution and holding of apparel is required. The horizontal bar accommodates hangers and the shelves are divided into separate visible compartments. **Finish:** Chrome

*Each unit consists of:*

- 4 - 63" posts
- 2 - 54" posts
- 2 - 24" W x 60" L wire shelves
- 3 - 24" W x 36" L wire shelves
- 8 - 24" dividers
- 2 - 61" rods and tabs kits
- 1 - 24" hang bar (up to 75 lb. hang capacity evenly distributed)
- 4 - 5" swivel thermoplastic resin casters, 2 with brakes
- 4 - donut bumpers

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
WRCPL-63-2460	24" x 60" x 69"	146 lbs



## Bin Transport Cart

The combination of bins and modular shelving creates a highly efficient method of visually identifying and transporting multiple items. The large capacity bins allow for color coding and the rotation of inventories. This multi-tasked unit is excellent for a wide variety of applications and transport solutions. **Cart Finish:** Chrome

*Each unit consists of:*

- 4 - 63" posts
- 2 - 54" posts
- 2 - 24" W x 60" L wire shelves
- 3 - 24" W x 36" L wire shelves
- 4 - 5" swivel thermoplastic resin casters, 2 with brakes
- 4 - donut bumpers
- 4 - QUS955 (23-7/8" L x 18-1/4" W x 12" H)

**Bins available in:** ● Blue ● Red ● Yellow ● Clear

MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF BINS	SHIP WGT
WRCPL-63-2460-955	24" x 60" x 69"	4 QUS955	165 lbs

*(One color per unit)*

## NYLON FABRIC OR CLEAR VINYL COVERS AVAILABLE!



# EPOXY SHELVING SYSTEMS



## Epoxy 4 Wire Shelf Mobile Carts

Mobile wire stem caster carts add versatility & flexibility to any operation, creating a transport system.

Each unit consists of:

- 4 - posts
- 4 - wire shelves
- 4 - donut bumpers
- 4 - 5" poly stem casters, 2 with brake


MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
M1836P47	18" x 36" x 80"	74 lbs
M1848P47	18" x 48" x 80"	86 lbs
M1860P47	18" x 60" x 80"	109 lbs
M2436P47	24" x 36" x 80"	89 lbs
M2448P47	24" x 48" x 80"	104 lbs
M2460P47	24" x 60" x 80"	129 lbs

REPLACE "P" in Model No. ▶ Ex. M1836GY47-5  
to order other Epoxy Finishes ▶ M1836BK47-5



## Corner Mobile Wire Shelving

When in need of more storage space, Quantum Corner Wire Shelving is the answer. It's great for any corner area. It is versatile and durable, it is easy to assemble. Each shelf holds up to 700 lbs., evenly distributed. This versatile storage option will help your rooms stay neat, organized and maximized. **Finish:** Proform Green Epoxy and Chrome




MODEL NO.	SHELF DIMENSIONS A" x B" x C" x D" x E"	SHIP WGT
WR74-1836CRNP-5	37-7/8" x 50-1/4" x 36" x 18" x 27"	96 lbs
WR74-2442CRNP-5	46" x 58-1/2" x 41-3/4" x 24" x 26-1/2"	121 lbs
WR74-2436CRNC-5	37-7/8" x 50-1/4" x 36" x 18" x 27"	96 lbs
WR74-2442CRNC-5	46" x 58-1/2" x 41-3/4" x 24" x 26-1/2"	121 lbs



## Hybrid Epoxy Wire Shelf Systems

Hybrid wire epoxy and polymer mat shelves offer a unique combination of shelf sizes. The shelf construction is supported with architectural wire trusses to provide from up to 600 lb. to 800 lb. capacity per shelf. Vented shelf plates allows air to circulate for minimal dirt accumulation and light to penetrate for increased product visibility. Antimicrobial and aesthetically pleasing.

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
WR86-1836WPM	18" x 36" x 86"	60 lbs
WR86-1848WPM	18" x 48" x 86"	72 lbs
WR86-1836WPM-5	18" x 36" x 86"	70 lbs
WR86-1848WPM-5	18" x 48" x 86"	85 lbs



## MOBILIZE YOUR WIRE SHELVING

ADD SUFFIX "S" to Model No. to order Solid shelf unit ▶ Ex. WR86-1836WPM-S  
WR86-1836WPM-S-5

UNITS AVAILABLE IN A WIDE VARIETY OF CONFIGURATIONS AND SIZES

# SOLID SHELVING SYSTEMS

## Solid Shelves



- Designed for storage of small parts that might normally fall through wire shelves
- Dual layer construction with double hemmed perimeter with marine edge ensures maximum strength while retaining spillage and excellent corrosion resistance

DIMENSIONS W" x L"	SHIP WGT	GALVANIZED STEEL MODEL NO.	STAINLESS STEEL MODEL NO.
<b>14" Deep - Solid Shelves</b>			
14" x 30"	13 lbs	-	1430SS
14" x 36"	14 lbs	1436SG	1436SS
14" x 42"	15 lbs	1442SG	1442SS
14" x 48"	17 lbs	1448SG	1448SS
14" x 54"	20 lbs	1454SG	1454SS
14" x 60"	22 lbs	1460SG	1460SS
14" x 72"	26 lbs	1472SG	1472SS
<b>18" Deep - Solid Shelves</b>			
18" x 24"	11 lbs	1824SG	1824SS
18" x 30"	14 lbs	1830SG	1830SS
18" x 36"	16 lbs	1836SG	1836SS
18" x 42"	18 lbs	1842SG	1842SS
18" x 48"	20 lbs	1848SG	1848SS
18" x 54"	22 lbs	1854SG	1854SS
18" x 60"	24 lbs	1860SG	1860SS
18" x 72"	27 lbs	1872SG	1872SS
<b>21" Deep - Solid Shelves</b>			
21" x 24"	13 lbs	2124SG	2124SS
21" x 30"	15 lbs	2130SG	2130SS
21" x 36"	18 lbs	2136SG	2136SS
21" x 42"	21 lbs	2142SG	2142SS
21" x 48"	23 lbs	2148SG	2148SS
21" x 54"	25 lbs	2154SG	2154SS
21" x 60"	28 lbs	2160SG	2160SS
21" x 72"	30 lbs	2172SG	2172SS
<b>24" Deep - Solid Shelves</b>			
24" x 24"	15 lbs	2424SG	2424SS
24" x 30"	17 lbs	2430SG	2430SS
24" x 36"	19 lbs	2436SG	2436SS
24" x 42"	22 lbs	2442SG	2442SS
24" x 48"	24 lbs	2448SG	2448SS
24" x 54"	26 lbs	2454SG	2454SS
24" x 60"	31 lbs	2460SG	2460SS
24" x 72"	34 lbs	2472SG	2472SS

**Up to 400-600 lb.  
LOAD CAPACITY PER SHELF**


## SOLID SHELVING - NO SPILL SURFACE

The solid steel design of these shelves is ideal for storage of small parts that might normally fall through wire shelves. Dual layer construction with double hemmed perimeter and marine edge ensures maximum strength while retaining spillage and excellent corrosion resistance.

All welded solid shelves are constructed of 18 gauge galvanized steel or 304 stainless steel.

By using various accessories, hundreds of shelving configurations become possible.

## 18 GAUGE GALVANIZED



## 304 STAINLESS STEEL



### Galvanized 4 Solid Shelf Mobile Carts

Mobile wire stem caster carts add versatility & flexibility to any operation, creating a transport system.

Each unit consists of:

- 4 - posts
- 4 - solid shelves
- 4 - donut bumpers
- 4 - 5" poly stem casters, 2 with brake

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
<b>MWR74-1836SG</b>	18" x 36" x 74"	92 lbs
<b>MWR74-1848SG</b>	18" x 48" x 74"	108 lbs
<b>MWR74-1860SG</b>	18" x 60" x 74"	124 lbs
<b>MWR74-2436SG</b>	24" x 36" x 74"	104 lbs
<b>MWR74-2448SG</b>	24" x 48" x 74"	124 lbs
<b>MWR74-2460SG</b>	24" x 60" x 74"	152 lbs



### Stainless 4 Solid Shelf Systems

Mobile wire stem caster carts add versatility & flexibility to any operation, creating a transport system.

Each unit consists of:

- 4 - posts
- 4 - solid shelves



**MOBILIZE  
YOUR  
WIRE  
SHELVING**

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
<b>WRS4-74-1836SS</b>	18" x 36" x 74"	80 lbs
<b>WRS4-74-1848SS</b>	18" x 48" x 74"	96 lbs
<b>WRS4-74-1860SS</b>	18" x 60" x 74"	112 lbs
<b>WRS4-74-2436SS</b>	24" x 36" x 74"	92 lbs
<b>WRS4-74-2448SS</b>	24" x 48" x 74"	112 lbs
<b>WRS4-74-2460SS</b>	24" x 60" x 74"	140 lbs

UNITS CAN BE LOADED/UNLOADED EASILY FROM ALL SIDES.

# TRACK SYSTEMS

## High Density Sliding Floor Track System



High Density Sliding Track System offers a unique way to maximize and efficiently move wire shelving systems. The patented design allows for quick and easy installation. Bearings in the skate are located under each post for a load capacity of up to 1,500 lb. per shelving unit. The v-groove floor track allows the shelving unit to slide back and forth with ease. Layout assistance is available.


### PERFORMANCE FEATURES AND BENEFITS:

- Low shipping cost
- NSF approved
- Uses industrial bearings
- Corrosion free construction
- Easy to roll construction
- Fast installation
- Utilizes the structure of existing shelving
- Complies with ADA regulations
- Up to 1,500 lb. load capacity per unit
- Can increase storage areas up to 150%



SYSTEMS  
SLIDE BACK  
AND  
FORTH WITH  
EASE

MODEL NO.	DESCRIPTION	SHIP WGT
<b>Sliding Track Skates</b> Also Available with Drift Resistor Add Suffix "DR"		
<b>HD18</b>	One 18" Skate	4 lbs
<b>HD21</b>	One 21" Skate	5 lbs
<b>HD24</b>	One 24" Skate	6 lbs
<b>HD30</b>	One 30" Skate	7 lbs
<b>HD36</b>	One 36" Skate	8 lbs
<b>Additional Components</b>		
<b>QESTP</b>	End Stop Kit	1 lb
<b>QBRK</b>	Foot Activated Brake Kit	1 lb
<b>QVTRK</b>	V-Track (Sold per inch)	1 lb
<b>WK</b>	Wing Kit	2 lbs
<b>SK</b>	Shim Kit	3 lbs




## Sliding Overhead Track System



Up to 1,200 lb.  
LOAD CAPACITY PER UNIT

Quantum's Overhead Track wire shelving system provides maximum storage using a minimum of space. All kits include all necessary sections of track for assembling lengths that range from 8' to 24' (**note: shelves and posts sold separately**). Assembly is quick and easy and the whole system requires only single-aisle access. Casters are 5" x 1-1/4" rigid thermoplastic resin. Overhead Track design provides a clear walkway and clear aisles underneath eliminating any tripping hazard. Overhead Track extrusion manufactured of heavy-duty aluminum ensuring years of heavy-duty and reliable service.

MODEL NO.	DESCRIPTION	SHIP WGT
<b>Overhead Track</b>		
<b>TK-2</b>	One Track - 2 Feet	7 lbs
<b>TK-26</b>	One Track - 2-1/2 Feet	9 lbs
<b>TK-5</b>	One Track - 5 Feet	17 lbs
<b>TK-6</b>	One Track - 6 Feet	21 lbs
<b>TK-7</b>	One Track - 7 Feet	24 lbs
<b>TK-EP</b>	Track End Plates with Hardware (Set of 4)	1 lb
<b>TK-CA</b>	Track Connector with Hardware (Set of 4)	6 lbs
<b>End Unit Single Sided Track Bracket Pair</b>		
<b>TK-STB18</b>	18" Single Overhead Track Bracket Pair	4 lbs
<b>TK-STB21</b>	21" Single Overhead Track Bracket Pair	5 lbs
<b>TK-STB24</b>	24" Single Overhead Track Bracket Pair	6 lbs
<b>Intermediate Unit Double Sided Track Bracket Pair</b>		
<b>TK-DTB18</b>	18" Double Overhead Track Bracket Pair	4 lbs
<b>TK-DTB21</b>	21" Double Overhead Track Bracket Pair	5 lbs
<b>TK-DTB24</b>	24" Double Overhead Track Bracket Pair	6 lbs
<b>Mobile Unit Track Rollers</b>		
<b>TK-CBW</b>	Set of 4 Track Rollers	2 lbs



**TK-EP**  
Track End Plate  
(4 per kit)



**TRACK WITHOUT  
END PLATE**



**TRACK WITH  
END PLATE**

### PERFORMANCE FEATURES AND BENEFITS:

- NSF approved
- Uses industrial bearings
- Corrosion free construction
- Easy to roll construction
- Fast installation
- Utilizes the structure of existing shelving
- Up to 1,200 lb. load capacity per unit
- Can increase storage areas up to 150%

INCREASE STORAGE AREAS UP TO 150%



# UTILITY CARTS

## Open Utility Carts

Corrosion-free open utility carts help transport and deliver multiple food products from storage to aisles with ease. **Finish:** Stainless Steel

## 3 Sided Frames

NSF

STAINLESS MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
2436FS	24" x 36"	8 lbs
2448FS	24" x 48"	9 lbs
2460FS	24" x 60"	10 lbs

CARTS INCLUDE  
CASTER KIT  
FOR  
MOBILITY



WRSC3-42-2436FS  
Stainless Steel

## Wire Utility Carts

Up to 1,200 lb.  
MOBILE LOAD CAPACITY

Give versatility to any operation: Hospitals, food service and maintenance. Carts come wire, solid or mix. Each cart consists of 2 u-handles, 4 donut bumpers, 4 swivel casters (2 with brakes) and wire or solid shelf combinations. **Finishes:** Chrome, Stainless Steel and Epoxy

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
<b>2 Chrome Wire Shelf Utility Cart</b>		
WRC-1836-2	18" x 36" x 37-1/2"	38 lbs
WRC-1842-2	18" x 42" x 37-1/2"	40 lbs
<b>3 Chrome Wire Shelf Utility Cart</b>		
WRC-1836-3	18" x 36" x 37-1/2"	48 lbs
WRC-1842-3	18" x 42" x 37-1/2"	51 lbs

## OTHER SIZES AND COMBINATIONS AVAILABLE

## Polymer Utility Carts

RUGGED, HEAVY-DUTY,  
DURABLE

Heavy-duty strength cart is ideal for many industrial and commercial material handling applications. Set of 2 swivel and 2 rigid 5" x 1-1/4" heavy-duty casters allow for up to 550 lb. load capacity. Available in two sizes with a 2 or 3 shelf combination.

Available in:  Gray

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE SHELF DIMENSIONS L" x W" x H"	NO. OF SHELVES	SHIP WGT
PC3518-33	34-1/4" x 17-1/2" x 32-1/2"	29-1/4" x 15-1/4" x 2-5/8"	2	38 lbs
PC3518-33-3	34-1/4" x 17-1/2" x 32-1/2"	29-1/4" x 15-1/4" x 2-5/8"	3	51 lbs
PC4026-33	40" x 26" x 32-1/2"	35" x 23" x 2-5/8"	2	54 lbs
PC4026-33-3	40" x 26" x 32-1/2"	35" x 23" x 2-5/8"	3	74 lbs
<b>Polymer Flat Top Shelf Cart</b>				
PFTC4026-33-2	40" x 26" x 32-1/2"	35" x 23"**	2	51 lbs
PFTC4026-33-3	40" x 26" x 32-1/2"	35" x 23"**	3	71 lbs
<b>Additional Shelves</b>				
PC3518SHELF	34-1/4" x 17-1/2" x 4-3/16"	29-1/4" x 15-1/4" x 2-5/8"	1	13 lbs
PC4026SHELF	40" x 26" x 4-3/16"	35" x 23" x 2-5/8"	1	20 lbs
<b>Replacement Casters</b>				
PC-CAS-SW	One Replacement Swivel Caster		2 lbs	
PC-CAS-RG	One Replacement Rigid Caster		2 lbs	

\*Inside dimension for middle and bottom shelf 35" x 23" x 2-5/8"

## Push Handle Wire Utility Carts

OTHER SIZES AND  
COMBINATIONS AVAILABLE



Up to 550 lb.  
LOAD CAPACITY

PC4026-33

Give versatility to any operation: hospitals and maintenance. Carts come wire, solid or mix. Each cart consists of 1 push handle, 4 donut bumpers, 4 swivel casters (2 with brakes) and wire or solid shelf combinations. **Finishes:** Epoxy, Chrome and Stainless Steel

OTHER SIZES AND  
COMBINATIONS AVAILABLE

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
2 Epoxy Green Wire Shelf Push Handle Utility Cart		
WRCP-1836P-2	18" x 36" x 37-1/2"	38 lbs
WRCP-1842P-2	18" x 42" x 37-1/2"	40 lbs
<b>3 Epoxy Green Wire Shelf Push Handle Utility Cart</b>		
WRCP-1836P-3	18" x 36" x 37-1/2"	48 lbs
WRCP-1842P-3	18" x 42" x 37-1/2"	51 lbs



WRCP-1836P-3  
Epoxy Green Wire

# ACCESSORIES

## Casters

### ADD YOUR CASTER KIT TO YOUR UNIT FOR MOBILITY

MODEL NO.	DESCRIPTION	LOAD CAPACITY PER CASTER	SHIP WGT
<b>Stem Casters</b>			
<b>WR-00H</b>	Four Swivel 5" x 1-1/4" Thermoplastic Resin Casters, 2 with brake	300 lbs	10 lbs
<b>WR-00H-HD</b>	Four Swivel 5-1/2" x 1-1/4" Heavy-Duty Polyurethane Casters, 2 with brake	600 lbs	12 lbs
<b>WR-00HS</b>	Four Swivel 5" x 1-1/4" Thermoplastic Resin Stainless Steel Casters with Zerk Grease Fittings, 2 with brake	300 lbs	12 lbs
<b>WR-00CO</b>	Four Swivel ESD/Conductive 5" x 1-1/4" Casters, 2 with brake	300 lbs	12 lbs
<b>WR-SB2R2*</b>	Two Swivel 5" x 1-1/4" Thermoplastic Resin Caster with brake, 2 Rigid	300 lbs	12 lbs
<b>WR-3</b>	Four Swivel 3" Polyurethane Casters, all with brake	200 lbs	8 lbs
<b>WR-RG*</b>	One Rigid 5" x 1-1/4" Thermoplastic Resin Caster	300 lbs	3 lbs
<b>WR-PS</b>	One Swivel 8" x 2-1/2" Pneumatic Caster	325 lbs	4 lbs
<b>PSC-5S</b>	5"x1-1/4" Polymer Swivel Casters, 2 with brake	200 lbs	9 lbs
<b>Plate Casters</b>			
<b>PT-PS</b>	One Swivel 5" x 1-1/4" Thermoplastic Resin Caster	300 lbs	3 lbs
<b>PT-PR</b>	One Rigid 5" x 1-1/4" Thermoplastic Resin Caster	300 lbs	3 lbs
<b>PT-PSB</b>	One Swivel 5" x 1-1/4" Thermoplastic Resin Caster with brake	300 lbs	3 lbs
<b>PT-PS-S</b>	One Swivel 5" x 1-1/4" Polyurethane Stainless Steel Caster with Zerk Grease Fittings	300 lbs	3 lbs
<b>PT-PR-S</b>	One Rigid 5" x 1-1/4" Polyurethane Stainless Steel Caster with Zerk Grease Fittings	300 lbs	3 lbs
<b>PT-PSB-S</b>	One Swivel 5" x 1-1/4" Polyurethane Stainless Steel Caster with brake with Zerk Grease Fittings	300 lbs	3 lbs
<b>PT-PS6</b>	One Swivel 6" x 2" Polyurethane Caster	800 lbs	5 lbs
<b>PT-PR6</b>	One Rigid 6" x 2" Polyurethane Caster	800 lbs	5 lbs
<b>PT-PSB6</b>	One Swivel 6" x 2" Polyurethane Caster with brake	800 lbs	5 lbs
<b>PT-NS</b>	One Swivel 8" x 2-1/2" Pneumatic Caster	325 lbs	4 lbs
<b>PT-NR</b>	One Rigid 8" x 2-1/2" Pneumatic Caster	325 lbs	4 lbs

\*Requires Tie Bars for rigid alignment

**Up to 800-3,200 lb.  
MOBILE LOAD CAPACITY**



### MOBILIZE YOUR WIRE SHELVING

**WR-00H** (Mobile Kit)  
DB - Donut Bumper



### Donut Bumper

Non-marking, 3" diameter plastic bumper used to protect walls and help cushion impact.

MODEL NO.	DESCRIPTION	SHIP WGT
<b>DB</b>	One 3" Diameter Donut Bumper	1 lb

## QUICK AND EASY INSTALLATION




**2430SSTOP**  
Stainless Steel Shelf Cover

### Stainless Steel Shelf Covers



Constructed from durable 18 gauge 304 stainless steel, this stainless steel shelf covering offers commercial-grade resilience, engineered for extended durability. Unlike wire shelving that may permit small items to slip through or pose the risk of package leaks affecting lower shelves, this sturdy shelf covering transforms wire shelves into functional workstations, providing the versatility and dependability essential for a range of applications.

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
<b>2430SSTOP</b>	24" x 30" x 2"	20 lbs
<b>3030SSTOP</b>	30" x 30" x 2"	27 lbs
<b>3036SSTOP</b>	30" x 36" x 2"	27 lbs
<b>3042SSTOP</b>	30" x 42" x 2"	28 lbs
<b>3048SSTOP</b>	30" x 48" x 2"	28 lbs
<b>3060SSTOP</b>	30" x 60" x 2"	29 lbs
<b>3072SSTOP</b>	30" x 72" x 2"	30 lbs



### Wire Shelf Covers




- Crystal clear and very sturdy
- Works with all brands of wire shelving
- Converts wire shelf to a solid shelf
- Solves any concern with burrs or rough edges or tearing on the wire
- Provides a spill-safe surface so that no liquid will fall through the wire
- Wire label holders can still be placed on the wire shelf and the cover's edge will fit over the front of the label holder
- Withstands temperatures from -20°F up to 170°F

## EASY TO CLEAN CREATES SPILL- SAFE SURFACE



MODEL NO.	DESCRIPTION	SHIP WGT
<b>1836COV</b>	One 18" x 36" Shelf Cover	2 lbs
<b>1848COV</b>	One 18" x 48" Shelf Cover	2 lbs
<b>1860COV</b>	One 18" x 60" Shelf Cover	2 lbs
<b>1872COV</b>	One 18" x 72" Shelf Cover	2 lbs
<b>2436COV</b>	One 24" x 36" Shelf Cover	2 lbs
<b>2448COV</b>	One 24" x 48" Shelf Cover	2 lbs
<b>2460COV</b>	One 24" x 60" Shelf Cover	2 lbs
<b>2472COV</b>	One 24" x 72" Shelf Cover	2 lbs


# ACCESSORIES




## Slanted Shelves



Designed with a 25° slant to add structure to various applications and retain products. Perfect angle for gravity flow as well as bin storage. **Finish:** Chrome



## TUBULAR FRAME



## Tubular 3 Sided Frames



Constructed of 1" square tubing, frame is designed for added structure to the perimeter of a dunnage or shelving unit. **Finish:** Gray Epoxy

CHROME MODEL NO.	DIMENSIONS W" x L"	SHIP WGT	DIVIDER MODEL NO.
1836SL	18" x 36"	7 lbs	DIV18SL
1848SL	18" x 48"	8 lbs	DIV18SL
2436SL	24" x 36"	8 lbs	DIV24SL
2448SL	24" x 48"	9 lbs	DIV24SL

## Wire 3 Sided Snake Frames



Designed to add structure to various applications and retain products. **Finishes:** Chrome, 304 Stainless Steel, Proform Green Epoxy and Gray Epoxy

CHROME MODEL NO.	STAINLESS MODEL NO.	PROFORM MODEL NO.	GRAY MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
1836FC	1836FS	1836FP	-	18" x 36"	6 lbs
1848FC	1848FS	1848FP	-	18" x 48"	7 lbs
1860FC	1860FS	1860FP	-	18" x 60"	8 lbs
2436FC	2436FS	2436FP	-	24" x 36"	8 lbs
2448FC	2448FS	2448FP	-	24" x 48"	9 lbs
2460FC	2460FS	2460FP	-	24" x 60"	10 lbs

## S-Hooks

For continuous runs of shelving. Two hooks should be used per shelf where two posts are not utilized. Sold as an 8 pack. **Finishes:** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy



**S-HOOK**  
Chrome

**WR-WMB, WR-WMBP**  
Post Wall Mount Bracket

Mounts post to wall securely.  
2" clearance required.

**Finish:** Chrome and  
Green Epoxy



**WR-SS**  
Split Sleeve

Sold as a pack of 4 pairs.  
(Enough for one shelf)



## Collar Hooks

**SCH1-5**

**SCH1**

Used to secure baskets to posts or as a hook for longer items. Sold in packs of four.

MODEL NO.	DESCRIPTION	SHIP WGT
SCH1-5	1-1/2" Hook (4 Pack)	1 lb
SCH1	1/2" Hook (4 Pack)	1 lb

## Seismic Foot Plates



**OSHPD**  
Certification

Quantum's seismic foot plates are used to anchor stationary shelving units to the floor.

MODEL NO.	DESCRIPTION	SHIP WGT
WR-SFP	Single Seismic Foot Plate	3 lbs
WR-DFP	Double Seismic Foot Plate	4 lbs



**WR-SFP**  
Single Foot Plate

# ACCESSORIES


## Modular Enclosure Panels

Are easily adaptable to standard shelving units to create a secured storage area.

- Panels are fabricated from 6 gauge wire on 3" x 3" squares
- Modular enclosure panels work with four shelf depths: 14", 18", 21" and 24" and three heights: 63", 74" and 86"
- One modular enclosure panel is needed for each side and two or three panels are needed for the back
- New EP-CLIP hardware package allows enclosure panels to be fastened tight to the shelves to help eliminate any rattling noise while in transit. One package needed per enclosure panel.

Add -CUT to Model No. for use with bottom solid shelf  
Ex. EP126-CUT

CHROME	STAINLESS STEEL	PROFORM GREEN EPOXY	PROFORM GRAY EPOXY	DESCRIPTION	SHIP WGT
MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.		
EP126	EP126S	EP126P	EP126GY	One 12" x 62" Panel	5 lbs
EP166	EP166S	EP166P	EP166GY	One 16" x 62" Panel	6 lbs
EP196	EP196S	EP196P	EP196GY	One 19" x 62" Panel	7 lbs
EP226	EP226S	EP226P	EP226GY	One 22" x 62" Panel	8 lbs
EP127	EP127S	EP127P	EP127GY	One 12" x 73" Panel	6 lbs
EP167	EP167S	EP167P	EP167GY	One 16" x 73" Panel	7 lbs
EP197	EP197S	EP197P	EP197GY	One 19" x 73" Panel	8 lbs
EP227	EP227S	EP227P	EP227GY	One 22" x 73" Panel	9 lbs
EP128	EP128S	EP128P	EP128GY	One 12" x 84" Panel	7 lbs
EP168	EP168S	EP168P	EP168GY	One 16" x 84" Panel	8 lbs
EP198	EP198S	EP198P	EP198GY	One 19" x 84" Panel	9 lbs
EP228	EP228S	EP228P	EP228GY	One 22" x 84" Panel	10 lbs



MOBILE CART SHOWN WITH 4 ENCLOSURE PANELS. MOBILE ENCLOSURE CARTS AVAILABLE



DB1836S-PT

## Modular Dolly Frames

Dolly Frames allow standard shelving units to be converted to heavy-duty transport trucks. Frames are fabricated from heavy gauge steel. Bumpers are attached to each corner to protect walls and help cushion impact. **Finishes:** Chrome and Stainless Steel

CHROME	STAINLESS STEEL	Dolly Frame Only	
MODEL NO.	MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
DB1836C	DB1836S	18" x 36"	10 lbs
DB1848C	DB1848S	18" x 48"	12 lbs
DB1860C	DB1860S	18" x 60"	14 lbs
DB2436C	DB2436S	24" x 36"	13 lbs
DB2448C	DB2448S	24" x 48"	15 lbs
DB2460C	DB2460S	24" x 60"	18 lbs
<b>Dolly Kit - Includes 4 Swivel Plate Casters, 2 with Brake</b>			
DB1836C-PT	DB1836S-PT	18" x 36"	22 lbs
DB1848C-PT	DB1848S-PT	18" x 48"	24 lbs
DB1860C-PT	DB1860S-PT	18" x 60"	26 lbs
DB2436C-PT	DB2436S-PT	24" x 36"	25 lbs
DB2448C-PT	DB2448S-PT	24" x 48"	27 lbs
DB2460C-PT	DB2460S-PT	24" x 60"	30 lbs

## Single and Double Drawer Slides

Compliment any system with specialized areas for storage which allow bins and trays to be suspended between shelves. Single bin slide mounts 18", 21" and 24" shelves. Double bin slide adapts to 24" shelves only. (Bins sold separately) **Finish:** Chrome

MODEL NO.	DESCRIPTION	SHIP WGT
DS18-24	Single Bin Design	2 lbs
DDS-24	Double Bin Design	4 lbs



DS18-24


CHOOSE FROM ONE BIN/TRAY DESIGN OR TWO BIN/TRAY DESIGN



- Holds up to 25 lb. weight capacity evenly distributed

## Hang Rails

CHROME	STAINLESS STEEL	Hang Rail	
MODEL NO.	MODEL NO.	DESCRIPTION	SHIP WGT
HB14C	-	One 14" Hang Rail	2 lbs
HB18C	HB18S	One 18" Hang Rail	3 lbs
HB24C	HB24S	One 24" Hang Rail	4 lbs
HB36C	HB36S	One 36" Hang Rail	5 lbs
HB48C	HB48S	One 48" Hang Rail	6 lbs
HB60C	HB60S	One 60" Hang Rail	7 lbs



DDS24

# ACCESSORIES

## Tie Bars

Required with rigid casters to ensure rigid alignment. Tie bar length should match up to shelf depth. Rigid casters sold separately.  
**Finish:** Chrome

MODEL NO.	DESCRIPTION	SHIP WGT
18TB	One 18" Tie Bar which Fits 2 Casters	2 lbs
21TB	One 21" Tie Bar which Fits 2 Casters	2 lbs
24TB	One 24" Tie Bar which Fits 2 Casters	2 lbs
30TB	One 30" Tie Bar which Fits 2 Casters	2 lbs
36TB	One 36" Tie Bar which Fits 2 Casters	3 lbs



18TB

## Push Handles

Comfortable grip design. Five widths available enabling easy movement of any mobile unit. To order a Proform Green, Gray or Black Epoxy finish, add **P**, **GY** or **BK** right after chrome model no. prefix (i.e. **PH18P**, **PH18GY** or **PH18BK**). **Finishes:** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

CHROME	STAINLESS STEEL	AVAILABLE EPOXY	DESCRIPTION	SHIP WGT
MODEL NO.	MODEL NO.	P GY BK		
PH18	PH18S	Y Y Y	One 18" Push Handle	2 lbs
PH21	PH21S	Y Y N	One 21" Push Handle	3 lbs
PH24	PH24S	Y Y Y	One 24" Push Handle	3 lbs
PH30	-	N N N	One 30" Push Handle	3 lbs
PH36	PH36S	N N N	One 36" Push Handle	3 lbs



PH18

## U-Handles

Build your own special size utility cart with three different width choices: 18", 21" or 24". Overall height 32", not including casters. To order a Proform Green, Gray or Black Epoxy finish, add **P**, **GY** or **BK** right after chrome model no. prefix (i.e. **UH18P**, **UH18GY** or **UH18BK**). **Finishes:** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

CHROME	STAINLESS STEEL	AVAILABLE EPOXY	DESCRIPTION	SHIP WGT
MODEL NO.	MODEL NO.	P GY BK		
UH18	UH18S	Y Y Y	18" U-Handle	2 lbs
UH21	UH21S	Y Y N	21" U-Handle	3 lbs
UH24	UH24S	Y Y Y	24" U-Handle	3 lbs



UH18




WCSD-1820

## Side and Back Ledges

Ledges are 4"H and act as a perimeter to retain shelf items and prevent anything from falling off. To order a Proform Green, Gray or Black Epoxy finish, add **P**, **GY** or **BK** right after chrome model no. prefix (i.e. **SL12P**, **SL12GY** or **SL12BK**). **Finishes:** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

CHROME	STAINLESS STEEL	AVAILABLE EPOXY	DESCRIPTION	SHIP WGT
MODEL NO.	MODEL NO.	P GY BK		
<b>4"H - Side Ledges</b>				
SL12	SL12S	Y Y Y	12" Side Ledge	1 lb
SL14	SL14S	Y Y Y	14" Side Ledge	1 lb
SL18	SL18S	Y Y Y	18" Side Ledge	1 lb
SL21	SL21S	Y Y Y	21" Side Ledge	2 lbs
SL24	SL24S	Y Y Y	24" Side Ledge	2 lbs
SL30	SL30S	Y Y Y	30" Side/Back Ledge	2 lbs
<b>4"H - Back Ledges</b>				
BL36	BL36S	Y Y Y	36" Back/Side Ledge	3 lbs
BL42	BL42S	Y Y Y	42" Back Ledge	3 lbs
BL48	BL48S	Y Y Y	48" Back Ledge	3 lbs
BL54	BL54S	Y Y Y	54" Back Ledge	4 lbs
BL60	BL60S	Y Y Y	60" Back Ledge	5 lbs
BL72	BL72S	Y Y Y	72" Back Ledge	6 lbs



## Dividers

Dividers are 8"H unless specified and are available in 7 depths to be used with all shelves. To order a Proform Green, Gray or Black Epoxy finish, add **P**, **GY** or **BK** right after chrome model no. prefix (i.e. **DIV12P**, **DIV12GY** or **DIV12BK**). **Finishes:** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

CHROME	STAINLESS STEEL	AVAILABLE EPOXY	DESCRIPTION	SHIP WGT
MODEL NO.	MODEL NO.	P GY BK		
<b>Dividers</b>				
DIV12	DIV12S	Y Y Y	One 12" Divider	2 lbs
DIV14	DIV14S	Y Y Y	One 14" Divider	2 lbs
DIV18	DIV18S	Y Y Y	One 18" Divider	2 lbs
DIV21	DIV21S	Y Y Y	One 21" Divider	3 lbs
DIV24	DIV24S	Y Y Y	One 24" Divider	3 lbs
DIV24X3SW**	-	N N N	One 24" x 3.61" Divider	1 lb
DIV24X6	-	N N N	One 24" x 6" Divider	1 lb
DIV24X21*	-	N Y N	One 24" x 21" Divider	5 lbs
DIV30	DIV30S	Y Y Y	One 30" Divider	4 lbs
DIV36	DIV36S	Y Y Y	One 36" Divider	4 lbs

\*Only available in Gray Epoxy finish

\*\*Single wire design

## Wire Carton Dividers


Quantum's new wire carton dividers are the ideal storage tool to maintain and organize your boxes. Available for 18" and 24" shelf depths, the dividers fix in place and provide firm and convenient storage to your warehouse and workplace. Two convenient heights to choose from: 14" or 20-1/2". **Finish:** Chrome

MODEL NO.	DESCRIPTION	SHIP WGT
WCSD-1814	18" x 14" Divider	3 lbs
WCSD-1820	18" x 20-1/2" Divider	3 lbs
WCSD-2414	24" x 14" Divider	3 lbs
WCSD-2420	24" x 20-1/2" Divider	4 lbs

# ACCESSORIES

## Hanging Label Tags

New design Hanging Label tab has flat surface on one side to allow for self-adhesive label. Opposite side has a slot for label to be inserted and easily removed or changed as needed. Paper labels are not included. Label tags work with all wire shelves, mesh bins, hanging, stacking and post baskets. Available in 7 colors. Package of 25.



## Polymer Shelf Label Holder

MODEL NO.	DESCRIPTION	SHIP WGT
<b>Clear Label Holders</b>		
ULH3C	3" Clear Label Holder	1 lb
ULH33C	33" Clear Label Holder Fits 36" Shelf	1 lb
ULH45C	45" Clear Label Holder Fits 48" Shelf	1 lb
ULH57C	57" Clear Label Holder Fits 60" Shelf	1 lb
ULH69C	69" Clear Label Holder Fits 72" Shelf	1 lb



Label Holders can also be used on Wire Shelves

## Post Label Holders

New post label holders come in two sizes and allow for easy identification of aisles/rows as well as of wire cart contents. Attach to standard 1" diameter posts. Each package includes 12 clear holders and corresponding printer friendly sheet labels.

MODEL NO.	DIMENSIONS W" x L"	PKG QTY	SHIP WGT
PLH1X6C	1" x 6"	12 pcs	1 lb
PLH2X4C	2" x 4"	12 pcs	1 lb



## EASY IDENTIFICATION OF AISLES/ROWS CONTENTS

### Laser and Inkjet Label Inserts

Laser and inkjet compatible inserts come in 8-1/2" x 11" perforated sheets. Available in 3" and 6" lengths. Multiple inserts can be used on longer label holders. Package of 48 labels.

MODEL NO.	DESCRIPTION	SHIP WGT
<b>Laser and Inkjet Label Inserts - 48 Labels</b>		
LHI-3	1-1/4" x 3" Inserts (3 Sheets)	1 lb
LHI-6	1-1/4" x 6" Inserts (6 Sheets)	1 lb

## NEED A LARGER SURFACE AREA FOR IDENTIFICATION?

New generation extended clear label holder clips onto the front snake frame of any wire shelf and offers a 3"H x 5"W label slot with paper insert. Labels can be changed or easily relocated. Laser and inkjet compatible inserts come in 8-1/2" x 11" perforated sheets. Package of 12.



LHE3X5C



Inserts slide into label holders easily



Clear Label Holder



PS-LH3

### Hanging Label Tag

Fits 1-3/8" x 3" Adhesive Label or Slide in Label

## Stacking & Post Basket Clear Label Holders

A super easy method for identifying product. Affixes directly to the front on any stacking and post basket. Available in six lengths. (Label inserts sold separately)

MODEL NO.	DESCRIPTION	SHIP WGT
<b>Clear Label Holders</b>		
BLH3C	3" Clear Label Holder	1 lb
BLH14C	14" Clear Label Holder Fits 18" Wide Basket	1 lb
BLH20C	20" Clear Label Holder Fits 24" Wide Basket	1 lb
BLH32C	32" Clear Label Holder Fits 36" Wide Basket	1 lb
BLH44C	44" Clear Label Holder Fits 48" Wide Basket	1 lb
BLH56C	56" Clear Label Holder Fits 60" Wide Basket	1 lb




BLH20C  
Shown on Basket with Dividers  
(Sold separately)

## Hanging Basket Clear Label Holders

A super easy method for identifying product. Affixes directly to the front on any hanging basket. Available in four lengths. (Label inserts sold separately)

MODEL NO.	DESCRIPTION	SHIP WGT
<b>Clear Label Holders</b>		
HBL3C	3" Clear Label Holder	1 lb
HBL165C	16-1/2" Clear Label Holder Fits 18" Wide Basket	1 lb
HBL345C	34-1/2" Clear Label Holder Fits 36" Wide Basket	1 lb
HBL465C	46-1/2" Clear Label Holder Fits 48" Wide Basket	1 lb



HBL165C

# DUNNAGE RACKS

## Mobile Dunnage Platform Racks



Units can be used for moving case goods and other heavy items for cleaning, warehouse and stock room applications. Non-marking casters add flexibility.

**Finish:** Gray Epoxy

Each unit consists of:

- 4 - 6" posts
- 1 - 3 sided frame
- 1 - dunnage shelf
- 4 - 5" swivel thermoplastic resin casters, 2 with brakes
- 4 - donut bumpers

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
M18246DGY	18" x 24" x 12"	36 lbs
M18306DGY	18" x 30" x 12"	40 lbs
M18366DGY	18" x 36" x 12"	44 lbs
M18426DGY	18" x 42" x 12"	48 lbs
M18486DGY	18" x 48" x 12"	52 lbs
M18606DGY	18" x 60" x 12"	59 lbs
M24246DGY	24" x 24" x 12"	39 lbs
M24306DGY	24" x 30" x 12"	44 lbs
M24366DGY	24" x 36" x 12"	48 lbs
M24426DGY	24" x 42" x 12"	53 lbs
M24486DGY	24" x 48" x 12"	55 lbs
M24606DGY	24" x 60" x 12"	63 lbs



Up to 1,300-1,600 lb.  
LOAD CAPACITY PER SHELF

## NEED EXTRA SPACE?

## Modular Dunnage Racks



Ideal for extreme load capacities (up to 1,300-1,600 lb.). Includes tubular 1" square frame super structure and removable wire top mat. **Finish:** Gray Epoxy

Each unit consists of:

- 4 - 14" posts
- 1 - 3 sided frame
- 1 - dunnage shelf

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
182414DGY	18" x 24" x 14"	22 lbs
183014DGY	18" x 30" x 14"	26 lbs
183614DGY	18" x 36" x 14"	30 lbs
184214DGY	18" x 42" x 14"	34 lbs
184814DGY	18" x 48" x 14"	38 lbs
186014DGY	18" x 60" x 14"	45 lbs
242414DGY	24" x 24" x 14"	25 lbs
243014DGY	24" x 30" x 14"	30 lbs
243614DGY	24" x 36" x 14"	34 lbs
244214DGY	24" x 42" x 14"	39 lbs
244814DGY	24" x 48" x 14"	41 lbs
246014DGY	24" x 60" x 14"	49 lbs



183614DGY

## Dunnage Shelves



Dunnage shelves are constructed of 1" square tubular steel with removable wire decking. Utilized in extreme load applications. 1,300-1,600 lb. load capacity depending of shelf length. **Finishes:** Blue Endurance or Gray Epoxy - Excellent for high humidity or corrosive applications and is fortified with an antimicrobial agent.



1836DS  
Blue Endurance Finish

BLUE ENDURANCE MODEL NO.	GRAY MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
-	1824DSGY	18" x 24"	14 lbs
-	1830DSGY	18" x 30"	18 lbs
1836DS	1836DSGY	18" x 36"	21 lbs
-	1842DSGY	18" x 42"	25 lbs
1848DS	1848DSGY	18" x 48"	28 lbs
1860DS	1860DSGY	18" x 60"	34 lbs
-	2424DSGY	24" x 24"	16 lbs
-	2430DSGY	24" x 30"	20 lbs
2436DS	2436DSGY	24" x 36"	24 lbs
-	2442DSGY	24" x 42"	28 lbs
-	2448DSGY	24" x 48"	30 lbs
2460DS	2460DSGY	24" x 60"	37 lbs




1836DSGY  
Gray Epoxy Finish

## HEAVY-DUTY

# CANTILEVER SYSTEMS

**3 FINISHES AVAILABLE**



**Up to 150 lb.  
LOAD CAPACITY PER SHELF**

**NEED EXTRA SPACE?**

**Direct Wall Mount Cantilever Single Shelf  
Complete Packages**



Versatile hanging system, ideal to create storage space in difficult spaces to accompany floor storage. Select from five different depths: 12", 14", 18", 21" or 24".

**TO CHOOSE FINISH ADD FINISH  
SUFFIX TO MODEL NO.**

**Ex. WDWB1224P**

MODEL NO.	DIMENSION W" x L"	SHIP WGT
WDWB1224	12" x 24"	9 lbs
WDWB1230	12" x 30"	9 lbs
WDWB1236	12" x 36"	10 lbs
WDWB1242	12" x 42"	11 lbs
WDWB1248	12" x 48"	12 lbs
WDWB1260	12" x 60"	17 lbs
WDWB1272	12" x 72"	20 lbs

**UNITS AVAILABLE IN A WIDE VARIETY OF CONFIGURATIONS AND SIZES**



**WDWB1230P**  
Wall Mount Cantilever  
Single Shelf

DWB12P, DWB14P, DWB18P,  
DWB21P or DWB24P  
Wire Cantilever Arm

**AVAILABLE  
FINISHES**

CHROME C  
EPOXY GREEN P  
EPOXY GRAY GY  
EPOXY BLACK BK

**QUICK,  
EASY ASSEMBLY**

**Cantilever Single Shelf**



Cantilever shelves have a drop mat design that provides a ledge around the shelf. Space-efficient and easy to install. Up to 150 lbs load capacity. Unit will require taller rear posts to accommodate these shelves. **Finishes:** Proform Green, Gray and Black Epoxy

MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
<b>Proform Green Epoxy Cantilever Shelves</b>		
1224RCSP	12" x 24"	5 lbs
1230RCSP	12" x 30"	6 lbs
1236RCSP	12" x 36"	7 lbs
1242RCSP	12" x 42"	8 lbs
1248RCSP	12" x 48"	9 lbs
1260RCSP	12" x 60"	11 lbs
<b>Gray Epoxy Cantilever Shelves</b>		
1224RCSGY	12" x 24"	5 lbs
1230RCSGY	12" x 30"	6 lbs
1236RCSGY	12" x 36"	7 lbs
1242RCSGY	12" x 42"	8 lbs
1248RCSGY	12" x 48"	9 lbs
1260RCSGY	12" x 60"	11 lbs
<b>Black Epoxy Cantilever Shelves</b>		
1224RCSBK	12" x 24"	5 lbs
1230RCSBK	12" x 30"	6 lbs
1236RCSBK	12" x 36"	7 lbs
1242RCSBK	12" x 42"	8 lbs
1248RCSBK	12" x 48"	9 lbs
1260RCSBK	12" x 60"	11 lbs



**ATTACHES TO UNIT'S  
BACK POSTS**

**Post Wall Mount Cantilever with Bin Holders  
Complete Packages**

Easy access, adjustable wall mounted bin systems. Available in 24", 30", 36", 48" and 60" widths. Optional bin dividers, windows fronts and clear label holders. **Finish:** Chrome

Bin available in:  Blue  Green  Ivory  Red  Yellow  Black  Clear

MODEL NO.	NO. OF BIN RAILS	DIMENSIONS L" x H"	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
<b>Wire Cantilever Bin Holder - Complete with Bins</b>					
Available in Blue, Green, Ivory, Red, Yellow, Black and Clear					
CAN-34-24BH-230	3	24" x 34"	9 QUS230	10-7/8" x 5-1/2" x 5"	18 lbs
CAN-34-30BH-230	3	30" x 34"	12 QUS230	10-7/8" x 5-1/2" x 5"	20 lbs
CAN-34-36BH-230	3	36" x 34"	18 QUS230	10-7/8" x 5-1/2" x 5"	26 lbs
CAN-34-48BH-230	3	48" x 34"	24 QUS230	10-7/8" x 5-1/2" x 5"	34 lbs
CAN-34-60BH-230	3	60" x 34"	30 QUS230	10-7/8" x 5-1/2" x 5"	42 lbs



**COMPLETE  
PACKAGES  
WITH BINS**

# MILLENNIA SHELVING

Millenia Shelving



Millenia™ Shelving guarantees a premium storage option. This innovative new shelving system combines an easy-to-clean product coupled with cost efficient technologies. System offers a multi-functional design and lifetime warranty against rust and corrosion. Unique dunnage add-on supports, add stability and increases weight capacity on the bottom shelf.

## Maximum load capacity evenly distributed

\*Extra reinforcement dunnage stand recommended for units with 54" and longer shelves

Up to **1,000 lb.**  
LOAD CAPACITY PER SHELF

WIDTHS (W): 18", 21", 24"

LENGTHS (L): 24", 30", 36", 42", 48", 54", 60", 72"

HEIGHTS (H): 14", 26", 38", 50", 62", 74", 86", 98"




Shelf With Vented Surface




Shelf With Solid Surface



Solid Bottom Shelf Aids In Protecting Product From Dust And Dirt Coming From The Ground



Private Label Capability




Unit Can Be Stationary or Mobile

## TRANSFORMING THE WAY YOU WORK AND STORE

### Optimized Space Utilization

By using various accessories, multiple shelving configurations become possible without compromising the maximum load capacity of the shelving system.



ADD-ON UNIT CAPABILITY  
(SIDE TO SIDE)



ADD-ON UNIT CAPABILITY  
(L-SHAPE)



ADD-ON UNIT CAPABILITY  
(U-SHAPE)

# MILLENNIA SHELVING

## Millenia Mixed Shelf Units



Mixed units have all vented shelves and solid bottom shelf. All complete mix shelf units consist of 3 or 4 vented shelves with a solid bottom shelf and 4 posts. Mobilize starter kit shelving unit using optional mobile kit.



### OPTIONAL MOBILE KIT

**QPPSC-5S**

Includes four 5"x1-1/4" Polymer swivel casters, 2 with brake and four donut bumpers  
Up to 800 lb. mobile load capacity (evenly distributed)

**Up to 1,000 lb.  
LOAD CAPACITY PER SHELF**



**4 SHELF MIXED UNIT**



**5 SHELF MIXED UNIT**

MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
<b>62" Millenia 3 Vented 1 Solid Shelving Unit</b>		
QP182462V3S1	18" x 24" x 62"	33 lbs
QP183062V3S1	18" x 30" x 62"	37 lbs
QP183662V3S1	18" x 36" x 62"	41 lbs
QP184262V3S1	18" x 42" x 62"	45 lbs
QP184862V3S1	18" x 48" x 62"	49 lbs
QP185462V3S1	18" x 54" x 62"	55 lbs
QP186062V3S1	18" x 60" x 62"	59 lbs
QP187262V3S1	18" x 72" x 62"	67 lbs
QP212462V3S1	21" x 24" x 62"	35 lbs
QP213062V3S1	21" x 30" x 62"	40 lbs
QP213662V3S1	21" x 36" x 62"	44 lbs
QP214262V3S1	21" x 42" x 62"	48 lbs
QP214862V3S1	21" x 48" x 62"	53 lbs
QP215462V3S1	21" x 54" x 62"	59 lbs
QP216062V3S1	21" x 60" x 62"	63 lbs
QP217262V3S1	21" x 72" x 62"	72 lbs
QP242462V3S1	24" x 24" x 62"	42 lbs
QP243062V3S1	24" x 30" x 62"	47 lbs
QP243662V3S1	24" x 36" x 62"	53 lbs
QP244262V3S1	24" x 42" x 62"	58 lbs
QP244862V3S1	24" x 48" x 62"	64 lbs
QP245462V3S1	24" x 54" x 62"	71 lbs
QP246062V3S1	24" x 60" x 62"	77 lbs
QP247262V3S1	24" x 72" x 62"	88 lbs
<b>62" Millenia 4 Vented 1 Solid Shelving Unit</b>		
QP182462V4S1	18" x 24" x 62"	39 lbs
QP183062V4S1	18" x 30" x 62"	44 lbs
QP183662V4S1	18" x 36" x 62"	49 lbs
QP184262V4S1	18" x 42" x 62"	54 lbs
QP184862V4S1	18" x 48" x 62"	59 lbs
QP185462V4S1	18" x 54" x 62"	66 lbs
QP186062V4S1	18" x 60" x 62"	71 lbs
QP187262V4S1	18" x 72" x 62"	81 lbs
QP212462V4S1	21" x 24" x 62"	42 lbs
QP213062V4S1	21" x 30" x 62"	47 lbs
QP213662V4S1	21" x 36" x 62"	53 lbs
QP214262V4S1	21" x 42" x 62"	58 lbs
QP214862V4S1	21" x 48" x 62"	64 lbs
QP215462V4S1	21" x 54" x 62"	71 lbs
QP216062V4S1	21" x 60" x 62"	76 lbs
QP217262V4S1	21" x 72" x 62"	87 lbs
QP242462V4S1	24" x 24" x 62"	50 lbs
QP243062V4S1	24" x 30" x 62"	57 lbs
QP243662V4S1	24" x 36" x 62"	64 lbs
QP244262V4S1	24" x 42" x 62"	70 lbs
QP244862V4S1	24" x 48" x 62"	77 lbs
QP245462V4S1	24" x 54" x 62"	86 lbs
QP246062V4S1	24" x 60" x 62"	93 lbs
QP247262V4S1	24" x 72" x 62"	107 lbs


MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
<b>74" Millenia 3 Vented 1 Solid Shelving Unit</b>		
QP182474V3S1	18" x 24" x 74"	35 lbs
QP183074V3S1	18" x 30" x 74"	39 lbs
QP183674V3S1	18" x 36" x 74"	43 lbs
QP184274V3S1	18" x 42" x 74"	47 lbs
QP184874V3S1	18" x 48" x 74"	51 lbs
QP185474V3S1	18" x 54" x 74"	57 lbs
QP186074V3S1	18" x 60" x 74"	61 lbs
QP187274V3S1	18" x 72" x 74"	69 lbs
QP212474V3S1	21" x 24" x 74"	37 lbs
QP213074V3S1	21" x 30" x 74"	41 lbs
QP213674V3S1	21" x 36" x 74"	46 lbs
QP214274V3S1	21" x 42" x 74"	50 lbs
QP214874V3S1	21" x 48" x 74"	54 lbs
QP215474V3S1	21" x 54" x 74"	60 lbs
QP216074V3S1	21" x 60" x 74"	65 lbs
QP217274V3S1	21" x 72" x 74"	74 lbs
QP242474V3S1	24" x 24" x 74"	43 lbs
QP243074V3S1	24" x 30" x 74"	49 lbs
QP243674V3S1	24" x 36" x 74"	54 lbs
QP244274V3S1	24" x 42" x 74"	60 lbs
QP244874V3S1	24" x 48" x 74"	66 lbs
QP245474V3S1	24" x 54" x 74"	73 lbs
QP246074V3S1	24" x 60" x 74"	78 lbs
QP247274V3S1	24" x 72" x 74"	89 lbs
<b>74" Millenia 4 Vented 1 Solid Shelving Unit</b>		
QP182474V4S1	18" x 24" x 74"	41 lbs
QP183074V4S1	18" x 30" x 74"	46 lbs
QP183674V4S1	18" x 36" x 74"	51 lbs
QP184274V4S1	18" x 42" x 74"	56 lbs
QP184874V4S1	18" x 48" x 74"	61 lbs
QP185474V4S1	18" x 54" x 74"	68 lbs
QP186074V4S1	18" x 60" x 74"	73 lbs
QP187274V4S1	18" x 72" x 74"	83 lbs
QP212474V4S1	21" x 24" x 74"	43 lbs
QP213074V4S1	21" x 30" x 74"	49 lbs
QP213674V4S1	21" x 36" x 74"	54 lbs
QP214274V4S1	21" x 42" x 74"	60 lbs
QP214874V4S1	21" x 48" x 74"	65 lbs
QP215474V4S1	21" x 54" x 74"	72 lbs
QP216074V4S1	21" x 60" x 74"	78 lbs
QP217274V4S1	21" x 72" x 74"	89 lbs
QP242474V4S1	24" x 24" x 74"	51 lbs
QP243074V4S1	24" x 30" x 74"	58 lbs
QP243674V4S1	24" x 36" x 74"	65 lbs
QP244274V4S1	24" x 42" x 74"	72 lbs
QP244874V4S1	24" x 48" x 74"	79 lbs
QP245474V4S1	24" x 54" x 74"	88 lbs
QP246074V4S1	24" x 60" x 74"	94 lbs
QP247274V4S1	24" x 72" x 74"	108 lbs

# MILLENNIA SHELVING

## Accessories

### ▼ PRODUCT ORGANIZATION

MODEL NO.	DIMENSIONS W" x H"	SHIP WGT
<b>Millenia Dividers</b>		
QPDIV18	18" x 7-7/8"	1 lb
QPDIV21	21" x 7-7/8"	1 lb
QPDIV24	24" x 7-7/8"	1 lb
<b>Millenia Ledges</b>		
QPL18	18" x 2-1/4"	1 lb
QPL21	21" x 2-1/4"	1 lb
QPL24	24" x 2-1/4"	1 lb
QPL30	30" x 2-1/4"	1 lb
QPL36	36" x 2-1/4"	1 lb
QPL42	42" x 2-1/4"	1 lb
QPL48	48" x 2-1/4"	1 lb
QPL54	54" x 2-1/4"	2 lbs
QPL60	60" x 2-1/4"	2 lbs
QPL72	72" x 2-1/4"	2 lbs



#### DIVIDERS

**QPDIV**

7-7/8" Height



#### ADJUSTABLE HEIGHT SIDE AND BACK LEDGE

**QPL**

2-1/4" Height

### ▼ LABEL HOLDERS

MODEL NO.	DIMENSIONS W"	SHIP WGT
<b>Millenia Label Holders</b>		
QPLH5C	5-1/2" Clear Label Holder	1 lb
QPLH17C	17-1/2" Clear Label Holder Fits 24" Shelf	1 lb
QPLH23C	23-1/2" Clear Label Holder Fits 30" Shelf	1 lb
QPLH29C	29-1/2" Clear Label Holder Fits 36" Shelf	1 lb
QPLH35C	35-1/2" Clear Label Holder Fits 42" Shelf	1 lb
QPLH41C	41-1/2" Clear Label Holder Fits 48" Shelf	1 lb
QPLH47C	47-1/2" Clear Label Holder Fits 54" Shelf	1 lb
QPLH53C	53-1/2" Clear Label Holder Fits 60" Shelf	1 lb
QPLH65C	65-1/2" Clear Label Holder Fits 72" Shelf	1 lb
<b>Millenia Laser and Inkjet Label Inserts - 24 Labels</b>		
QPLHI-3	3" Inserts (Two 8-1/2" x 11" Sheets)	1 lb
QPLHI-5	5-1/2" Inserts (Four 8-1/2" x 11" Sheets)	1 lb



#### CLEAR LABEL HOLDER WITH 3" INSERTS

**QPLH29C + QPLHI-3**

### ▼ MOBILE APPLICATIONS



#### MOBILE KIT

**QPPSC-5S**

Includes four 5"x1-1/4" Polymer swivel casters, 2 with brake and four donut bumpers. Up to 800 lb. mobile load capacity (evenly distributed)

### ▼ ADD-ON UNIT CAPABILITY



#### S-HOOK FOR SIDE BY SIDE CONFIGURATION

**QP-S-HOOK**

(Sold as 8-pack)



#### S-HOOK FOR "L" AND "U" SHAPE CONFIGURATION

**QP-S-HOOK + QP-S-HOOKL**

(Sold as 8-pack) (Sold as 4-pack)



#### CORNER COVER ADAPTER


**QP-ADC**

Must be purchased with all Add-On units  
(Sold as 8-pack)

# MILLENNIA SHELVING

## Accessories

### ▼ WEIGHT SUPPORT



A - Works in diagonal for units 18", 21" W  
B - Works horizontal for units 24" W



### DUNNAGE SUPPORT STAND\*

QPDS

Allows for additional weight and stability

\*Extra reinforcement dunnage stand recommended for units with 54" and longer shelves

### WALL BRACKET

QP-WMB

Used to hold a shelf unit from tipping over (Sold as 2-pack)

\*Recommended for stationary units only

### ▼ PLATFORMS

#### Millenia Platforms



All platform units consist of 1 shelf and 4 14" posts. **Color:** Gray

MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
<b>Millenia Vented Platforms</b>		
QP183614VP	18" x 36" x 14"	12 lbs
QP184814VP	18" x 48" x 14"	14 lbs
QP186014VP	18" x 60" x 14"	16 lbs
QP243614VP	24" x 36" x 14"	15 lbs
QP244814VP	24" x 48" x 14"	17 lbs
QP246014VP	24" x 60" x 14"	20 lbs
<b>Millenia Solid Platforms</b>		
QP183614SP	18" x 36" x 14"	13 lbs
QP184814SP	18" x 48" x 14"	15 lbs
QP186014SP	18" x 60" x 14"	17 lbs
QP243614SP	24" x 36" x 14"	16 lbs
QP244814SP	24" x 48" x 14"	19 lbs
QP246014SP	24" x 60" x 14"	22 lbs



**VENTED PLATFORM**  
QP243614VP



**SOLID PLATFORM**  
QP243614SP




**GUSSETS**  
QPG

Included with all shelves for extra support (Sold as 4-pack)

# QUANTUM MEDICAL'S VALUE ADDED SERVICES

CONCEPTION TO COMPLETION – WE MEET ALL YOUR STORAGE SOLUTION NEEDS



**TERMS:** Net 30 days upon credit approval. (Additional cash discounts are not permitted.)  
Prices are F.O.B. Shipping Point.

**MINIMUM ORDER:** One carton of any bin item. **NO MINIMUM ORDER ON WIRE SHELVING.**

**METHODS OF SHIPMENT:** Where no special instructions are specified, Quantum Medical will exercise its best judgment in as far as the type of carrier and routing, shipping prepaid and add, but will accept no liability for shipping charges incurred. Freight and delivery estimates are available upon request but are not guaranteed.

**PRODUCT RETURNS:** Product must be returned in original unused cartons and made within 30 days from date of shipment. All returns must have prior written authorization issued by Quantum Medical. Returned goods are subject to a 25% restock charge. All freight on returned goods must be prepaid by the shipper unless prior written arrangements have been made by Quantum Medical. Only full cartons can be returned for credit. Items made for special orders (special color, mobile bins, hot stamping, etc.) are not returnable for credit.

**DAMAGED GOODS:** Instruct your drayman not to accept goods from the Transportation Company unless the goods are in perfect condition and the number of pieces according to the delivery receipt has been verified. If any damage is discovered, make the proper notations on the receipt before signing it. All claims may be rejected if notice not given within 5 days per I.C.C. Rule.

**CONCEALED DAMAGE:** Should the damage not be discovered until after the goods are unpacked, it should be reported at once to the respective carrier agent who will make an inspection and will grant a "concealed damage" notation. This report must be made to the Agent of delivering carrier immediately upon delivery. UNLESS this is done, all goods replaced or repaired on account of damage must be at your expense. We cannot be held responsible for the carelessness or negligence of the Transportation Company and its employees as the goods leave our place of business and are signed for by the Transportation Company "in perfect condition".

**ORDER CANCELLATION:** Will not be accepted without the written authorization from Quantum Medical offices. Cancellation of orders already scheduled or in process may be accepted, subject to charge for expenses incurred as a result of the cancellation.

**SALES TAXES:** Local, state, and federal sales tax, if applicable, are not shown in this price list and are additional when product is resold by authorized distributors to users subject to such taxes.

**LIMITED WARRANTY:** Quantum Medical, warrants that the product contained herein will be free from defects in material or workmanship for a period of one year from the date of purchase, unless otherwise specified. If the product fails to function because of defects in material or workmanship within that period of time, and is used to fulfill the purpose for which it is designed, consistent with normal usage, Quantum Medical, at its option, will repair or replace the unit, provided it is returned to Quantum Medical with proof of purchase, postage prepaid.

**REASONABLE VARIATIONS:** in the precise electrostatic properties of the compounds described may be materially affected by the molding techniques applied and by the size and shape of the item molded. No assurance can be implied that all molded articles will have the same properties as those listed. It is the user's responsibility to determine that all Quantum Medical's bins, containers and metal products meet all specifications required before intended use and assumes all risks related to such determination and usage.

*\*Prices subject to change without notice.*

VISIT US ONLINE TO VIEW OUR COMPLETE PRODUCT OFFERING.



## CORPORATE HEADQUARTERS

15800 NW 15th Avenue  
Miami, Florida 33169

## HEALTHCARE CORPORATE HEADQUARTERS / SHOWROOM

508 Autumn Springs Court  
Suite 1D  
Franklin, TN 37067  
Toll-Free

**1-877-742-2467**

**Fax**  
1-877-742-2497  
**E-mail**  
[sales@quantummedical.com](mailto:sales@quantummedical.com)

TO VIEW OUR FULL PRODUCT LINE  
**VISIT US ONLINE**

*Great storage products, delivered quickly at the guaranteed lowest prices.  
Contact QUANTUM MEDICAL today and revolutionize the way you organize!*

**QUANTUMMEDICAL.com**



Find us and follow us on  
**SOCIAL MEDIA**